LIFETIME FLOORS

Health 2
Flammability 0
Material Safety Data Sheet Reactivity 1
LifeTime Floors LLC Personal Protection 0
575 Schommer Drive Equipment:
Hudson, WI 54016

Emergency Telephone Number CHEMTREC: (800) 424-9300

HMIS Ratings

Notice: The following information is accurate to the best of our knowledge and is offered in good faith. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in specific context of the intended use and determine whether they are appropriate.

I. <u>IDENTIFICATION</u>

Product Name: LifeTime Floors Thin Stamp Overlay

Synonymous: N/A
Chemical Family: Cement
Chemical Formula: Proprietary

Appearance & Odor: Gray and/or white powder, general cement odor

II. HAZARDOUS COMPONENTS & EXPOSURE LIMITS

Chemical:	CAS No.	PEL	TLV
Portland Cement	65997-15-1	$\overline{5}$ mg/m3	10mg/m3
Silica, Crystalline Quartz	14808-60-7	5 mg/m3	0.05 mg/m
Iron Oxide	1309-37-1	10 mg/m3	5 mg/m3
Crushed Marble	1317-65-3	5 mg/m3	5 mg/m3

III. TYPICAL PHYSICAL & CHEMICAL CHARACTERISTICS

Specific Gravity (H2O = 1.0)

Boiling Point:

Melting Point:

Vapor Pressure:

Vapor Density:

Evaporation Rate:

N/A

Solubility in Water:

N/A

IV. FIRE EXPLOSION & REACTIVITY DATA

Flash Point: Not combustible Flammable Limits: Not combustible

Firefighting Media: Water fog, carbon dioxide (CO2)

Special Firefighting

Procedure:

As with any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

Unusual Fire Hazard: This product is alkaline and releases considerable

heat on contact with small amounts of water. Avoid contact between resulting hot alkaline paste and metallic aluminum. Such contact could generate

hydrogen gas.

Reactivity: Stable under recommended storage conditions.

Incompatibilities: Strong acids, strong bases, and strong oxidizing

agents.

Decomposition or

Byproducts:

No data available.

Hazardous

Polymerization:

Will not occur under normal conditions.

V. HEALTH HAZARD DATA

Inhalation: May cause irritation to respiratory tract.

Skin Contact: In contact with moisture, can cause irritation or

alkali burns.

Eye Contact: Can cause severe irritation, redness, tearing, and

blurred vision. Prolonged or repeated contact can

cause burns and possibly corneal injury.

Ingestion: May cause irritation to digestive tract.

Health Hazards: Overexposure to wet cement may cause alkaline

burns and dry skin. Free silica dust may cause

delayed lung injury.

Carcinogenicity: Silica is listed with IARC as a Class 2 carcinogen.

Contains crystalline silica, which may cause lung damage or cancer. Risk depends upon duration and

level of exposure.

Emergency and First Aid Procedures:

Inhalation: Remove victim from exposure. If there is difficulty

with breathing, administer oxygen. If breathing has stopped administer artificial respiration. Seek

immediate medical attention.

Skin Contact: Remove contaminated clothing immediately. Wash

with soap and water. Seek medical attention if

needed.

Eye Contact: Flush eyes with water for 15 minutes while lifting

upper and lower lids. Seek medical attention.

Ingestion: Do not induce vomiting. Drink plenty of water. If

person vomits, place in the recovery position.

VI. SPILL PROCEDURES & WASTE DISPOSAL

Spill: Using appropriate protective clothing, place material

in poly drum and store in a safe place until material can be disposed of in accordance with regulations.

Waste Disposal: Dispose in accordance with Federal, State, and Local

regulations.

Precautions for Safe Keep containers tightly closed. Store in a cool dry

Handling and Storage: place.

VII. PROTECTIVE CONTROL MEASURES

Respirator: In case of insufficient ventilation wear suitable

respiratory equipment.

Ventilation: Local exhaust and general ventilation is

recommended.

Eye Protection: Wear safety goggles or glasses as needed to prevent

eye contact.

Protective Gloves: Wear appropriate impervious gloves.

Other Protective

Clothing:

As needed to minimize contact.

Special Protection: N/A

WORK/HYGIENE

PRACTICES:

Efforts should be made to minimize contact. Always wash hands before eating, drinking, or smoking.

KEEP OUT OF REACH OF CHILDREN.